

# Routing Error

No route matches [GET] "/products/spec\_sheet/mega-swivel-16"

Rails.root: /Users/qubitam/Workspace/clients/Projects/thelightsource

[Application Trace](#) | [Framework Trace](#) | [Full Trace](#)

## Routes

Routes match in priority from top to bottom

Helper	HTTP Verb	Path	Controller#Action
<u>Path / Url</u>		<input type="text"/>	
root_path	GET	/	home#index
login_authentication_path	GET	/authentication/login(.:format)	authentication#login
authenticate_authentication_path	POST	/authentication/authenticate(.:format)	authentication#authenticate
change_password_authentication_path	GET	/authentication/change_password(.:format)	authentication#change_password
logout_authentication_path	GET	/authentication/logout(.:format)	authentication#logout
change_password_save_authentication_path	POST	/authentication/change_password_save(.:format)	authentication#change_password_save
switch_user_authentication_path	GET	/authentication/switch_user(.:format)	authentication#switch_user
add_email_authentication_path	GET	/authentication/add_email(.:format)	authentication#add_email
add_email_save_authentication_path	POST	/authentication/add_email_save(.:format)	authentication#add_email_save
new_authentication_path	GET	/authentication/new(.:format)	authentications#new
edit_authentication_path	GET	/authentication/edit(.:format)	authentications#edit
authentication_path	GET	/authentication(.:format)	authentications#show
	PATCH	/authentication(.:format)	authentications#update
	PUT	/authentication(.:format)	authentications#update
	DELETE	/authentication(.:format)	authentications#destroy
	POST	/authentication(.:format)	authentications#create
save_path	POST	/save(.:format)	lost_password#save
lost_password_success_path	GET	/lost_password/success(.:format)	lost_password#success
lost_password_use_path	GET	/lost_password/use(.:format)	lost_password#use
token_not_found_lost_password_index_path	GET	/lost_password/token_not_found(.:format)	lost_password#token_not_found
lost_password_index_path	GET	/lost_password(.:format)	lost_password#index
	POST	/lost_password(.:format)	lost_password#create
new_lost_password_path	GET	/lost_password/new(.:format)	lost_password#new
edit_lost_password_path	GET	/lost_password/:id/edit(.:format)	lost_password#edit
lost_password_path	GET	/lost_password/:id(.:format)	lost_password#show
	PATCH	/lost_password/:id(.:format)	lost_password#update
	PUT	/lost_password/:id(.:format)	lost_password#update
	DELETE	/lost_password/:id(.:format)	lost_password#destroy
	GET	/products/:product_id/:product_id/photos/:id/:size/image.jpg(.:format)	photos#image
spec_sheet_pdf_products_path	GET	/products/spec_sheet_pdf(.:format)	products#spec_sheet_pdf
order_code_edit_products_path	GET	/products/order_code_edit(.:format)	products#order_code_edit

Helper	HTTP Verb	Path	Controller#Action
Path / Url			
order_code_delete_products_path	POST	/products/order_code_delete(.:format)	products#order_code_delete
order_code_save_products_path	POST	/products/order_code_save(.:format)	products#order_code_save
search_products_path	GET	/products/search(.:format)	products#search
set_position_product_path	POST	/products/:id/set_position(.:format)	products#set_position
products_path	GET	/products(.:format)	products#index
	POST	/products(.:format)	products#create
new_product_path	GET	/products/new(.:format)	products#new
edit_product_path	GET	/products/:id/edit(.:format)	products#edit
product_path	GET	/products/:id(.:format)	products#show
	PATCH	/products/:id(.:format)	products#update
	PUT	/products/:id(.:format)	products#update
	DELETE	/products/:id(.:format)	products#destroy
	POST	/products/reorder/:id(.:format)	products#reorder
admin_news_path	GET	/admin_news(.:format)	admin_news#index
delete_admin_news_path	DELETE	/admin_new_path/:id(.:format)	admin_news#destroy
update_admin_news_path	PATCH	/admin_new_path/:id(.:format)	admin_news#update
admin_news_index_path	GET	/admin_news(.:format)	admin_news#index
	POST	/admin_news(.:format)	admin_news#create
new_admin_news_path	GET	/admin_news/new(.:format)	admin_news#new
edit_admin_news_path	GET	/admin_news/:id/edit(.:format)	admin_news#edit
	GET	/admin_news/:id(.:format)	admin_news#show
	PATCH	/admin_news/:id(.:format)	admin_news#update
	PUT	/admin_news/:id(.:format)	admin_news#update
	DELETE	/admin_news/:id(.:format)	admin_news#destroy
admin_dealers_path	GET	/admin_dealers(.:format)	admin_dealers#index
	POST	/admin_dealers(.:format)	admin_dealers#create
new_admin_dealer_path	GET	/admin_dealers/new(.:format)	admin_dealers#new
edit_admin_dealer_path	GET	/admin_dealers/:id/edit(.:format)	admin_dealers#edit
admin_dealer_path	GET	/admin_dealers/:id(.:format)	admin_dealers#show
	PATCH	/admin_dealers/:id(.:format)	admin_dealers#update
	PUT	/admin_dealers/:id(.:format)	admin_dealers#update
	DELETE	/admin_dealers/:id(.:format)	admin_dealers#destroy
create_admin_news_path	POST	/admin_news(.:format)	admin_news#create
delete_admin_dealer_path	POST	/admin_dealers/:id/delete(.:format)	admin_dealers#delete
	POST	/products/delete/:id(.:format)	products#delete
	POST	/products/save/:id(.:format)	products#save

Helper	HTTP Verb	Path	Controller#Action
Path / Url			
products_save_path	POST	/products/save(.:format)	products#save
	POST	/products/order_code_add/id(.:format)	products#order_code_add
documents_path	GET	/documents(.:format)	documents#index
	POST	/documents(.:format)	documents#create
new_document_path	GET	/documents/new(.:format)	documents#new
edit_document_path	GET	/documents/id/edit(.:format)	documents#edit
document_path	GET	/documents/:id(.:format)	documents#show
	PATCH	/documents/:id(.:format)	documents#update
	PUT	/documents/:id(.:format)	documents#update
	DELETE	/documents/:id(.:format)	documents#destroy
	POST	/documents/delete/:id(.:format)	documents#delete
	POST	/documents/save/:id(.:format)	documents#save
documents_save_path	POST	/documents/save(.:format)	documents#save
area_dealers_path	GET	/dealers/area(.:format)	dealers#area
dealers_path	GET	/dealers(.:format)	dealers#index
	POST	/dealers(.:format)	dealers#create
new_dealer_path	GET	/dealers/new(.:format)	dealers#new
edit_dealer_path	GET	/dealers/id/edit(.:format)	dealers#edit
dealer_path	GET	/dealers/:id(.:format)	dealers#show
	PATCH	/dealers/:id(.:format)	dealers#update
	PUT	/dealers/:id(.:format)	dealers#update
	DELETE	/dealers/:id(.:format)	dealers#destroy
order_details_office_index_path	GET	/office/order_details(.:format)	office#order_details
invoice_details_office_index_path	GET	/office/invoice_details(.:format)	office#invoice_details
price_list_office_index_path	GET	/office/price_list(.:format)	office#price_list
price_list_old_office_index_path	GET	/office/price_list_old(.:format)	office#price_list_old
track_office_index_path	GET	/office/track(.:format)	office#track
invoice_search_office_index_path	GET	/office/invoice_search(.:format)	office#invoice_search
office_index_path	GET	/office(.:format)	office#index
	POST	/office(.:format)	office#create
new_office_path	GET	/office/new(.:format)	office#new
edit_office_path	GET	/office/:id/edit(.:format)	office#edit
office_path	GET	/office/:id(.:format)	office#show
	PATCH	/office/:id(.:format)	office#update
	PUT	/office/:id(.:format)	office#update
	DELETE	/office/:id(.:format)	office#destroy

Helper	HTTP Verb	Path	Controller#Action
Path / Url			
used_parts_path	GET	/used_parts(.:format)	used_parts#index
	POST	/used_parts(.:format)	used_parts#create
new_used_part_path	GET	/used_parts/new(.:format)	used_parts#new
edit_used_part_path	GET	/used_parts/:id/edit(.:format)	used_parts#edit
used_part_path	GET	/used_parts/:id(.:format)	used_parts#show
	PATCH	/used_parts/:id(.:format)	used_parts#update
	PUT	/used_parts/:id(.:format)	used_parts#update
	DELETE	/used_parts/:id(.:format)	used_parts#destroy
admin_used_parts_path	GET	/admin_used_parts(.:format)	admin_used_parts#index
	POST	/admin_used_parts(.:format)	admin_used_parts#create
new_admin_used_part_path	GET	/admin_used_parts/new(.:format)	admin_used_parts#new
edit_admin_used_part_path	GET	/admin_used_parts/:id/edit(.:format)	admin_used_parts#edit
admin_used_part_path	GET	/admin_used_parts/:id(.:format)	admin_used_parts#show
	PATCH	/admin_used_parts/:id(.:format)	admin_used_parts#update
	PUT	/admin_used_parts/:id(.:format)	admin_used_parts#update
	DELETE	/admin_used_parts/:id(.:format)	admin_used_parts#destroy
admin_resource_sections_path	GET	/admin_resource_sections(.:format)	admin_resource_sections#index
	POST	/admin_resource_sections(.:format)	admin_resource_sections#create
new_admin_resource_section_path	GET	/admin_resource_sections/new(.:format)	admin_resource_sections#new
edit_admin_resource_section_path	GET	/admin_resource_sections/:id/edit(.:format)	admin_resource_sections#edit
admin_resource_section_path	GET	/admin_resource_sections/:id(.:format)	admin_resource_sections#show
	PATCH	/admin_resource_sections/:id(.:format)	admin_resource_sections#update
	PUT	/admin_resource_sections/:id(.:format)	admin_resource_sections#update
	DELETE	/admin_resource_sections/:id(.:format)	admin_resource_sections#destroy
signup_contact_index_path	GET	/contact/signup(.:format)	contact#signup
catalog_contact_index_path	GET	/contact/catalog(.:format)	contact#catalog
catalog_sent_contact_index_path	GET	/contact/catalog_sent(.:format)	contact#catalog_sent
contact_index_path	GET	/contact(.:format)	contact#index
	POST	/contact(.:format)	contact#create
new_contact_path	GET	/contact/new(.:format)	contact#new
edit_contact_path	GET	/contact/:id/edit(.:format)	contact#edit
contact_path	GET	/contact/:id(.:format)	contact#show
	PATCH	/contact/:id(.:format)	contact#update
	PUT	/contact/:id(.:format)	contact#update
	DELETE	/contact/:id(.:format)	contact#destroy
add_cart_index_path	POST	/cart/add(.:format)	cart#add

Helper	HTTP Verb	Path	Controller#Action
Path / Url			
add_used_cart_index_path	POST	/cart/add_used(.:format)	cart#add_used
cart_index_path	POST	/cart(.:format)	cart#update
order_info_cart_index_path	GET	/cart/order_info(.:format)	cart#order_info
review_cart_index_path	GET	/cart/review(.:format)	cart#review
place_cart_index_path	POST	/cart/place(.:format)	cart#place
placed_cart_index_path	GET	/cart/placed(.:format)	cart#placed
	GET	/cart(.:format)	cart#index
	POST	/cart(.:format)	cart#create
new_cart_path	GET	/cart/new(.:format)	cart#new
edit_cart_path	GET	/cart/id/edit(.:format)	cart#edit
cart_path	GET	/cart/id(.:format)	cart#show
	PATCH	/cart/id(.:format)	cart#update
	PUT	/cart/id(.:format)	cart#update
	DELETE	/cart/id(.:format)	cart#destroy
info_save_cart_path	PATCH	/cart/id/info_save(.:format)	cart#info_save
place_payment_index_path	GET	/payment/place(.:format)	payment#place
payment_index_path	GET	/payment(.:format)	payment#index
	POST	/payment(.:format)	payment#create
new_payment_path	GET	/payment/new(.:format)	payment#new
edit_payment_path	GET	/payment/id/edit(.:format)	payment#edit
payment_path	GET	/payment/id(.:format)	payment#show
	PATCH	/payment/id(.:format)	payment#update
	PUT	/payment/id(.:format)	payment#update
	DELETE	/payment/id(.:format)	payment#destroy
backorders_dashboard_index_path	GET	/dashboard/backorders(.:format)	dashboard#backorders
domains_dashboard_index_path	GET	/dashboard/domains(.:format)	dashboard#domains
dashboard_index_path	GET	/dashboard(.:format)	dashboard#index
	POST	/dashboard(.:format)	dashboard#create
new_dashboard_path	GET	/dashboard/new(.:format)	dashboard#new
edit_dashboard_path	GET	/dashboard/id/edit(.:format)	dashboard#edit
dashboard_path	GET	/dashboard/id(.:format)	dashboard#show
	PATCH	/dashboard/id(.:format)	dashboard#update
	PUT	/dashboard/id(.:format)	dashboard#update
	DELETE	/dashboard/id(.:format)	dashboard#destroy
auto_complete_for_user_customer_no_admin_users_path	POST	/admin_users/auto_complete_for_user_customer_no(.:format)	admin_users#auto_complete_for_user_customer_no
admin_users_path	GET	/admin_users(.:format)	admin_users#index

Helper	HTTP Verb	Path	Controller#Action
Path / Url			
	POST	/admin_users(.:format)	admin_users#create
new_admin_user_path	GET	/admin_users/new(.:format)	admin_users#new
edit_admin_user_path	GET	/admin_users/:id/edit(.:format)	admin_users#edit
admin_user_path	GET	/admin_users/:id(.:format)	admin_users#show
	PATCH	/admin_users/:id(.:format)	admin_users#update
	PUT	/admin_users/:id(.:format)	admin_users#update
	DELETE	/admin_users/:id(.:format)	admin_users#destroy
rep_index_path	GET	/rep(.:format)	rep#index
	POST	/rep(.:format)	rep#create
new_rep_path	GET	/rep/new(.:format)	rep#new
edit_rep_path	GET	/rep/:id/edit(.:format)	rep#edit
rep_path	GET	/rep/:id(.:format)	rep#show
	PATCH	/rep/:id(.:format)	rep#update
	PUT	/rep/:id(.:format)	rep#update
	DELETE	/rep/:id(.:format)	rep#destroy
	POST	/rep/add_file/:id(.:format)	rep#add_file
delete_admin_projects_path	DELETE	/admin_projects/:id/delete(.:format)	admin_projects#delete
admin_projects_path	GET	/admin_projects(.:format)	admin_projects#index
	POST	/admin_projects(.:format)	admin_projects#create
new_admin_project_path	GET	/admin_projects/new(.:format)	admin_projects#new
edit_admin_project_path	GET	/admin_projects/:id/edit(.:format)	admin_projects#edit
admin_project_path	GET	/admin_projects/:id(.:format)	admin_projects#show
	PATCH	/admin_projects/:id(.:format)	admin_projects#update
	PUT	/admin_projects/:id(.:format)	admin_projects#update
	DELETE	/admin_projects/:id(.:format)	admin_projects#destroy
create_admin_projects_path	POST	/admin_projects(.:format)	admin_projects#create
	POST	/admin_projects/add_file/:id(.:format)	admin_projects#add_file
pipe_bending_tools_path	GET	/tools/pipe_bending(.:format)	tools#pipe_bending
tools_path	GET	/tools(.:format)	tools#index
	POST	/tools(.:format)	tools#create
new_tool_path	GET	/tools/new(.:format)	tools#new
edit_tool_path	GET	/tools/:id/edit(.:format)	tools#edit
tool_path	GET	/tools/:id(.:format)	tools#show
	PATCH	/tools/:id(.:format)	tools#update
	PUT	/tools/:id(.:format)	tools#update
	DELETE	/tools/:id(.:format)	tools#destroy

Helper	HTTP Verb	Path	Controller#Action
Path / Url			
section_resources_path	GET	/resources/section(.:format)	resources#section
resources_path	GET	/resources(.:format)	resources#index
	POST	/resources(.:format)	resources#create
new_resource_path	GET	/resources/new(.:format)	resources#new
edit_resource_path	GET	/resources/id/edit(.:format)	resources#edit
resource_path	GET	/resources/id(.:format)	resources#show
	PATCH	/resources/id(.:format)	resources#update
	PUT	/resources/id(.:format)	resources#update
	DELETE	/resources/id(.:format)	resources#destroy
news_index_path	GET	/news(.:format)	news#index
	POST	/news(.:format)	news#create
new_news_path	GET	/news/new(.:format)	news#new
edit_news_path	GET	/news/id/edit(.:format)	news#edit
news_path	GET	/news/id(.:format)	news#show
	PATCH	/news/id(.:format)	news#update
	PUT	/news/id(.:format)	news#update
	DELETE	/news/id(.:format)	news#destroy
cart_multi_add_path	POST	/cart/multi_add(.:format)	cart#multi_add
contact_catalog_save_path	POST	/contact/catalog_save(.:format)	contact#catalog_save
search_index_path	GET	/search(.:format)	search#index
	POST	/search(.:format)	search#create
new_search_path	GET	/search/new(.:format)	search#new
edit_search_path	GET	/search/id/edit(.:format)	search#edit
search_path	GET	/search/id(.:format)	search#show
	PATCH	/search/id(.:format)	search#update
	PUT	/search/id(.:format)	search#update
	DELETE	/search/id(.:format)	search#destroy
add_photos_path	GET	/photos/add(.:format)	photos#add
photos_path	POST	/photos(.:format)	photos#create
new_photo_path	GET	/photos/new(.:format)	photos#new
edit_photo_path	GET	/photos/id/edit(.:format)	photos#edit
photo_path	GET	/photos/id(.:format)	photos#show
	PATCH	/photos/id(.:format)	photos#update
	PUT	/photos/id(.:format)	photos#update
	DELETE	/photos/id(.:format)	photos#destroy
	GET	/photos/image/:id(.:format)	photos#image

Helper	HTTP Verb	Path	Controller#Action
Path / Url			
	POST	/photos/delete/:id(.:format)	photos#delete
photos_upload_path	POST	/photos/upload(.:format)	photos#upload
photos_save_path	POST	/photos/save(.:format)	photos#save
	GET	/products/:product_id/photos/:id/:size/image.jpg(.:format)	photos#image
	GET	/products/photo/photos/:id/:size/image.jpg(.:format)	photos#image
	GET	/products/:product_id/photos/:action/:id(.:format)	photos#:action
confirm_delete_admin_categories_path	GET	/admin/categories/confirm_delete(.:format)	admin/categories#confirm_delete
delete_admin_categories_path	DELETE	/admin/categories/delete(.:format)	admin/categories#delete
admin_categories_path	GET	/admin/categories(.:format)	admin/categories#index
	POST	/admin/categories(.:format)	admin/categories#create
new_admin_category_path	GET	/admin/categories/new(.:format)	admin/categories#new
edit_admin_category_path	GET	/admin/categories/:id/edit(.:format)	admin/categories#edit
admin_category_path	GET	/admin/categories/:id(.:format)	admin/categories#show
	PATCH	/admin/categories/:id(.:format)	admin/categories#update
	PUT	/admin/categories/:id(.:format)	admin/categories#update
	DELETE	/admin/categories/:id(.:format)	admin/categories#destroy
turbo_recede_historical_location_path	GET	/recede_historical_location(.:format)	turbo/native/navigation#recede
turbo_resume_historical_location_path	GET	/resume_historical_location(.:format)	turbo/native/navigation#resume
turbo_refresh_historical_location_path	GET	/refresh_historical_location(.:format)	turbo/native/navigation#refresh
rails_postmark_inbound_emails_path	POST	/rails/action_mailbox/postmark/inbound_emails(.:format)	action_mailbox/ingresses/postmark/inbound_emails#create
rails_relay_inbound_emails_path	POST	/rails/action_mailbox/relay/inbound_emails(.:format)	action_mailbox/ingresses/relay/inbound_emails#create
rails_sendgrid_inbound_emails_path	POST	/rails/action_mailbox/sendgrid/inbound_emails(.:format)	action_mailbox/ingresses/sendgrid/inbound_emails#create
rails_mandrill_inbound_health_check_path	GET	/rails/action_mailbox/mandrill/inbound_emails(.:format)	action_mailbox/ingresses/mandrill/inbound_emails#health_check
rails_mandrill_inbound_emails_path	POST	/rails/action_mailbox/mandrill/inbound_emails(.:format)	action_mailbox/ingresses/mandrill/inbound_emails#create
rails_mailgun_inbound_emails_path	POST	/rails/action_mailbox/mailgun/inbound_emails/mime(.:format)	action_mailbox/ingresses/mailgun/inbound_emails#create
rails_conductor_inbound_emails_path	GET	/rails/conductor/action_mailbox/inbound_emails(.:format)	rails/conductor/action_mailbox/inbound_emails#index
	POST	/rails/conductor/action_mailbox/inbound_emails(.:format)	rails/conductor/action_mailbox/inbound_emails#create
new_rails_conductor_inbound_email_path	GET	/rails/conductor/action_mailbox/inbound_emails/new(.:format)	rails/conductor/action_mailbox/inbound_emails#new
edit_rails_conductor_inbound_email_path	GET	/rails/conductor/action_mailbox/inbound_emails/:id/edit(.:format)	rails/conductor/action_mailbox/inbound_emails#edit
rails_conductor_inbound_email_path	GET	/rails/conductor/action_mailbox/inbound_emails/:id(.:format)	rails/conductor/action_mailbox/inbound_emails#show
	PATCH	/rails/conductor/action_mailbox/inbound_emails/:id(.:format)	rails/conductor/action_mailbox/inbound_emails#update
	PUT	/rails/conductor/action_mailbox/inbound_emails/:id(.:format)	rails/conductor/action_mailbox/inbound_emails#update
	DELETE	/rails/conductor/action_mailbox/inbound_emails/:id(.:format)	rails/conductor/action_mailbox/inbound_emails#destroy
new_rails_conductor_inbound_email_source_path	GET	/rails/conductor/action_mailbox/inbound_emails/sources/new(.:format)	rails/conductor/action_mailbox/inbound_emails/sources#new
rails_conductor_inbound_email_sources_path	POST	/rails/conductor/action_mailbox/inbound_emails/sources(.:format)	rails/conductor/action_mailbox/inbound_emails/sources#create
rails_conductor_inbound_email_reroute_path	POST	/rails/conductor/action_mailbox/inbound_email_id/reroute(.:format)	rails/conductor/action_mailbox/reroutes#create



Helper	HTTP Verb	Path	Controller#Action
rails_conductor_inbound_email_incinerate_path	POST	/rails/conductor/action_mailbox/inbound_email_id/incinerate(.:format)	rails/conductor/action_mailbox/incinerates#create
rails_service_blob_path	GET	/rails/active_storage/blobs/redirect/:signed_id/*filename(.:format)	active_storage/blobs/redirect#show
rails_service_blob_proxy_path	GET	/rails/active_storage/blobs/proxy/:signed_id/*filename(.:format)	active_storage/blobs/proxy#show
	GET	/rails/active_storage/blobs/:signed_id/*filename(.:format)	active_storage/blobs/redirect#show
rails_blob_representation_path	GET	/rails/active_storage/representations/redirect/:signed_blob_id/:variation_key/*filename(.:format)	active_storage/representations/redirect#show
rails_blob_representation_proxy_path	GET	/rails/active_storage/representations/proxy/:signed_blob_id/:variation_key/*filename(.:format)	active_storage/representations/proxy#show
	GET	/rails/active_storage/representations/:signed_blob_id/:variation_key/*filename(.:format)	active_storage/representations/redirect#show
rails_disk_service_path	GET	/rails/active_storage/disk/:encoded_key/*filename(.:format)	active_storage/disk#show
update_rails_disk_service_path	PUT	/rails/active_storage/disk/:encoded_token(.:format)	active_storage/disk#update
rails_direct_uploads_path	POST	/rails/active_storage/direct_uploads(.:format)	active_storage/direct_uploads#create

## Request

### Parameters:

None

[Toggle session dump](#)

[Toggle env dump](#)

## Response

### Headers:

None